

**LAW ENFORCEMENT CENTER DOMESTIC HOT WATER STORAGE TANK
REPLACEMENT REQUEST FOR PROPOSAL**

This addendum is issued prior to the receipt of proposals and award of contract, in order to provide for changes and or clarifications in the proposal requirements issued by the County of Monroe, Michigan. This addendum will become part of the Request for Proposal and any contractual obligations shall be met by the respective parties to the ensuing contract.

Please amend the Request for Proposal dated April 3, 2018 by including in the RFP the following information and clarifications:

SECTION 1 GENERAL STATEMENT OF THE WORK

Project Description:

Provide an **Alternate (Add Alternate #1)** Purchase, deliver to the site, and install 2 smaller vertical tanks of equal rating and volume not to exceed 96" in height and using all other specifications in the original RFP.

Project Specifications:

The scope of the project includes disconnecting and removing and properly disposing of the old tank. The tank(s) must be installed adjacent to the old boiler. Preparations must be made to connect exiting plumbing prior to disconnecting the old tank in order to limit down time of hot water supply to the facility. The circulation pump must be re-located and all old plumbing will need to be removed.

Proposal Form-P-2 Add Alternate attached.

Proposal due date remains unchanged: **Friday, April 27, 2018 at 4:00 P.M.**

If you have any questions as to the intent of the above changes and clarifications to the Request for Proposal, please do not hesitate to contact the undersigned using the contact information in the RFP.

Sincerely,



Michael G. Bosanac
Administrator/Chief Financial Officer

ADD ALTERNATE #1

DOMESTIC HOT WATER 2 VERTICAL STORAGE TANKS

Labor: _____ Dollars (\$ _____)

Material: _____ Dollars (\$ _____)

Total: _____ Dollars (\$ _____)

Equipment Proposed: _____

